

Plenary Talks - abstract



ANDREW S. DZURAK

SPIN-BASED QUANTUM COMPUTING IN SILICON

ABSTRACT

Spin qubits in silicon are excellent candidates for scalable quantum information processing [1] due to their long coherence times and the enormous investment in silicon CMOS technology. While our Australian effort in Si QC has largely focused on spin qubits based upon phosphorus dopant atoms implanted in Si [2,3], we are also exploring spin qubits based on single electrons confined in SiMOS quantum dots [4]. Such qubits can have long spin lifetimes $T_1 = 2$ s, while electric field tuning of the conduction-band valley splitting removes problems due to spin-valley mixing [5]. In isotopically enriched Si-28 these SiMOS qubits have a control fidelity of 99.6% [6], consistent with that required for fault-tolerant QC. By gate-voltage tuning the electron g^* -factor, the ESR operation frequency can be Stark shifted by > 10 MHz [6], allowing individual addressability of many qubits. Most recently we have coupled two SiMOS qubits to realize CNOT gates [7] for which over 25 gates can be performed within a two-qubit coherence time of 8 μ s. I will conclude by discussing the prospects of scalability of this technology using traditional CMOS manufacturing.

[1] D.D. Awschalom et al., “Quantum Spintronics”, *Science* 339, 1174 (2013).

[2] J.J. Pla et al., “A single-atom electron spin qubit in silicon”, *Nature* 489, 541 (2012).

[3] J.T. Muhonen et al., “Storing quantum information for 30 seconds in a nanoelectronic device”, *Nature Nanotechnology* 9, 986 (2014).

[4] S.J. Angus et al., “Gate-defined quantum dots in intrinsic silicon”, *Nano Lett.* 7, 2051 (2007).

[5] C.H. Yang et al., “Spin-valley lifetimes in a silicon quantum dot with tunable valley splitting”, *Nature Comm.* 4, 2069 (2013).

[6] M. Veldhorst et al., “An addressable quantum dot qubit with fault-tolerant control fidelity”, *Nature Nanotechnology* 9, 981 (2014).

[7] M. Veldhorst et al., “A two-qubit logic gate in silicon”, arXiv:1411.5760; to appear in *Nature*.